



8210 N. Austin Avenue, Morton Grove, IL 60053-0519, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: Trifluoroacetic Anhydride
 Code: 270841, 270843

..... **MATERIAL SAFETY DATA SHEET**

SECTION 1 PRODUCT IDENTIFICATION

Name: Trifluoroacetic Anhydride
 Code: 270841, 270843

SECTION 2 COMPOSITION, INFORMATION ON INGREDIENTS

Synonyms TFAA; 2,2,2-Trifluoroacetic anhydride; Bis(trifluoroacetic) anhydride; Hexafluoroacetic anhydride;
 Perfluoroacetic anhydride; Trifluoroacetic acid anhydride; Trifluoroacetyl anhydride
 CAS #: 407-25-0 MF: C₄F₆O₃

<i>Ingredients</i>	<i>Concentration (%/wt)</i>
Trifluoroacetic Anhydride (407-25-0)	NLT 99.0 %
Manufacturing Impurities.....	NMT 1.0 %

SECTION 3 HAZARDS IDENTIFICATION

Precautionary Statements See Sections 8 and 11 for further details.
 Corrosive. Causes burns.

..... **Emergency Overview**

NFPA Ratings (Scale 0-4); Health = 3; Fire = 1; Reactivity = 2; ~~W~~

Liquid: clear, colorless. Odor: strong pungent
 Corrosive liquid and vapor--TFAA can decompose on contact with water to produce hydrofluoric acid, that in contact with metals can generate flammable/explosive hydrogen gas.

Contact with water produces a large evolution of heat and possible violent reaction. Sufficient dilution of water may reduce the acidity of the solution.

The properties of this material have not been fully investigated. Use due caution in handling and use of this material.

Corrosive--Cause burns to all body tissues. Permanent eye damage possible. May be fatal or toxic if swallowed or inhaled.

Emits toxic fumes under fire conditions—potential chemical or thermal decomposition products: carbon oxides, hydrogen fluoride

Standard chemical handling precautions: Avoid ingestion or breathing mists. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

Target organs: mucous membranes, skin, eyes, respiratory system, lungs, teeth

See Sections 4, 5, 6, 8, 9, and 10.

Other Hazard Information

This compound has not fully been tested for toxicological, irritation, or similar tendencies.

Primary Route(s) of Entry: Inhalation, Ingestion, Eye, Skin

Eye: Corrosive--Can cause burns. May cause severe irritation, itching, tearing, redness, corneal inflammation, blurred vision, and lens damage. Permanent eye damage possible.

Skin: Corrosive--Can cause burns with redness and possible blistering. May cause severe irritation with itchiness and dryness, cracking and dermatitis due to the loss of natural skin oils.

Inhalation: Corrosive--Causes burns or severe irritation to mucous membranes, respiratory tract, nose, throat, and lung damage. May be harmful or fatal if inhaled in large quantities due to spasm,

Abbreviations: NA—not applicable; NE—not established; U—unknown/not available; NL—not listed; N—no; Y—yes.; NDA—No data available.



Name: Trifluoroacetic Anhydride
 Code: 270841, 270843

..... **MATERIAL SAFETY DATA SHEET**

Hazardous Combustion or Decomposition Products
 carbon oxides, hydrogen fluoride

SECTION 6 ACCIDENTAL RELEASE MEASURES

Eliminate all ignition sources. Use spark proof tools.
 Evacuate unnecessary people from area. Isolate spilled material.
 Ventilate area.
 Wear protective clothing to prevent contact with skin and eyes (lab coat, gloves, and safety glasses).
 Wear NIOSH/MSHA approved respirator for organic/acid gas, dust, and mists to prevent inhalation of mists.
 Contain and recover material when possible.
 Use chemically compatible spill pillows, or similar adsorbent material.
 Sweep up, seal in appropriate hazardous waste container, and hold for proper waste disposal.
 (If possible to do so safely, neutralize waste to pH 6-9 prior to disposal.)
 Avoid raising contaminated dust.
 Wash spill site after material pickup is complete.
 Standard chemical precautions: Keep out of water supplies and sewers.

SECTION 7 HANDLING AND STORAGE

General Handling Measures
 See Section 8 Below.
General Storage Measures
 Store in a cool, dry place with adequate ventilation, in a storage area suitable for corrosives.
Special Storage Instructions
 Do not store in metal containers.
 Empty containers retain product residue, (liquid/vapor), and can be dangerous.
Special Handling Instructions
 Use appropriate precautions for handling corrosive liquids.
 Wash thoroughly after handling.
 Since material is **very corrosive to body tissues**, immediately remove contaminated clothing.

SECTION 8 EXPOSURE CONTROLS, PERSONAL PROTECTION

Airborne Exposure Limits

		TWA (8H)		STEL/VPEL		Ceiling Limit		Ceiling (skin)	
		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Trifluoroacetic Anhydride 407-25-0	OSHA PEL	NE	NE	NE	NE	NE	NE	NE	NE
	ACGIH - TLV	NE	NE	NE	NE	NE	NE	NE	NE
Hydrogen Fluoride*	OSHA PEL	3	2	6	NE	NE	NE	NE	NE
	ACGIH - TLV	NE	NE	NE	NE	3	NE	NE	NE

NE = Not established; * Hydrogen fluoride may be formed on contact with humid air or water.

Special/Other Control Measures
 Odor threshold: NE



8210 N. Austin Avenue, Morton Grove, IL 60053-0519, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: Trifluoroacetic Anhydride
 Code: 270841, 270843

..... **MATERIAL SAFETY DATA SHEET**

Personal Protective Equipment (PPE)

OSHA/ANSI approved chemical safety eyewear or goggles
 Compatible chemical-resistant gloves: Rubber (e.g., natural rubber, neoprene, nitrile, or equivalent), Silver Shield®, Viton®, or 4H®
 Wear NIOSH/MSHA approved respirator for organic/acid gas, dust, and mists to prevent inhalation.
 Protective Clothing (e.g., lab coat)

Other Standard Safety Equipment and Engineering Preventive Measures

Safety shower and eye wash
 Mechanical exhaust required. Hood recommended. Use adequate general and/or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

General Precautions and Handling Measures

Avoid ingestion, inhalation and contact with eyes, skin, and clothing.
 Avoid prolonged or repeated exposure. Wash thoroughly after handling.
Material is very destructive to body tissues.
 Wash contaminated clothing before reuse. Discard contaminated footwear.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Chemical Family: Halogenated, organic acid anhydride *Use:* Analytical Derivatization Acylation Reagent for GC

Appearance, Odor, and Other Properties

<i>Appearance:</i> clear, colorless liquid	<i>Odor:</i> pungent, strong
<i>Freeze/MP:</i> -65°C (-85°F)	<i>Water Reactive:</i> yes
<i>bp (1atm):</i> 39.5-40°C (103°F)	<i>Water Solubility:</i> soluble/decomposes
<i>FW:</i> 210.03	<i>Specific Gravity (H₂O = 1.0):</i> 1.487
<i>VP (mmHg):</i> 40 mm (21.1°C)	<i>Vapor Density (air=1):</i> NE
<i>% Volatiles:</i> 100%	<i>Evap. Rate (BuAc = 1.0):</i> NE
<i>pH:</i> NE	<i>Refractive Index (n_D²⁰):</i> <1.300
<i>Soluble in Organic Solvents:</i> NE	

SECTION 10 STABILITY AND REACTIVITY

Stability

Stable

Incompatibilities

Amines
 Metals
 Strong acids and bases
 Strong oxidizers
 Strong reducing agents
 Water--possible violent evolution of heat on contact. May decompose to HF, which in contact with metals may produce flammable/explosive hydrogen gas.

Precautions

Avoid incompatibilities.
 Protect from heat, flames, sparks, and ignition sources.
 Keep out of water supplies and sewers.

Hazardous Combustion or Decomposition Products

carbon oxides, hydrogen fluoride

Hazardous Polymerization

None

Abbreviations: NA—not applicable; NE—not established; U—unknown/not available; NL—not listed; N—no; Y—yes.; NDA—No data available.



8210 N. Austin Avenue, Morton Grove, IL 60053-0519, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: Trifluoroacetic Anhydride
 Code: 270841, 270843

..... **MATERIAL SAFETY DATA SHEET**

SECTION 11 TOXICOLOGICAL INFORMATION.....

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

RTECS #

CAS #

AJ9800000	Trifluoroacetic Anhydride	407-25-0
MW7875000	Hydrogen Fluoride	7664-39-3

Only selected Registry of Toxic Effects of Chemical Substances data (RTECS) is presented here.
 See actual entry in RTECS for complete information.

Irritation Data

	eye	skin
Trifluoroacetic Anhydride	eye rbt 5mg/24H sev	Irr skn 750 ug/24H sev
Hydrogen Fluoride	eye hmn 50 mg sev	NDA

NDA = No data available

Toxicity Data

	oral	inhalation	dermal
Trifluoroacetic Anhydride	NDA	NDA	NDA
Hydrogen Fluoride	orl man TDLo 143mg/kg	ihl man TCLo 100 mg/m ³ /1M ihl hmn LCLo 50ppm/30M ihl rat LC50 1276ppm/1H	skn mus LDL0 500mg/kg

Carcinogenicity

	OSHA	IARC	NTP	ACGIH	NIOSH	Notes
Trifluoroacetic Anhydride	NL	NL	NL	NL	NL	None
Hydrogen Fluoride	NL	NL	NL	NL	NL	IARC Group 3--Not classifiable as a carcinogen

NL = Not Listed as a carcinogen;

Teratogenicity and Reproductive Effects

Laboratory studies reported in RTECS indicate that hydrofluoric acid may cause adverse fetal effects and reproductive effects.

Neurotoxicity

No data available.

Mutagenicity

RTECS reports mutation data on hydrogen fluoride.

Miscellaneous

No data available.

Acute and Chronic Effects

Section 3 **Hazards Identification** above.

SECTION 12 ECOLOGICAL INFORMATION.....

Environmental Fate and Ecotoxicity Data

Trifluoroacetic anhydride: No data available.

Abbreviations: NA—not applicable; NE—not established; U—unknown/not available; NL—not listed; N—no; Y—yes.; NDA—No data available.



8210 N. Austin Avenue, Morton Grove, IL 60053-0519, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: Trifluoroacetic Anhydride
 Code: 270841, 270843

..... **MATERIAL SAFETY DATA SHEET**

Standard Chemical Precautions
 Keep out of air, water, and soil

SECTION 13 **DISPOSAL CONSIDERATIONS**

That which cannot be recovered or recycled, should be disposed of in accordance with all applicable Federal, State, and local environmental regulations.

RCRA waste code(s): D002 RCRA Hazard Class (40CFR 261): Corrosive

SECTION 14 **TRANSPORT INFORMATION**

Ship in accordance with all applicable local, State, Federal, and International transportation regulations.
 The following is a summary only. Check regulations for complete information:

U. S. Department of Transportation (49CFR171.101)
 Shipping Name: Corrosive liquid, n.o.s. (trifluoroacetic acid anhydride)
 Hazard Class or Division: 8, Subsidiary Class: none
 ID Number: UN1760
 Packing Group: I
 Labeling: Corrosive Liquid

SECTION 15 **REGULATORY INFORMATION**

Reviews, Standards, and Regulations

..... Trifluoroacetic Anhydride

CAS number407-25-0.....

TSCA:..... Y

This compound is sold strictly for FDA or research and development use.

EINECS:..... Y

Number206-982-9

CERCLA [Section 103 (40 CFR 302.4)]: NL

RQ (lbs)..... NA

RCRA Waste Code NA

OSHA Process Safety [29 CFR 1910.119]: NL

TQ (lbs)..... NA

Clean Air Act

[Section 112r (40 CFR 68)]: NL

TQ (lbs)..... NA

Contains Ozone Depleters (Class I or Class II)..... N

SARA Title III Notification [40 CFR 302.4]:

Section 302/304 (EHS) Ingredient

[40 CFR 355.3]..... NL

TPQ (lbs)..... NA

RQ (lbs)..... NA

Section 313 Ingredient [40 CFR 372.65] NL

State Lists: NL

States..... NL

.....

On CA 65 Significant Risk Level NL

Abbreviations: NA—not applicable; NE—not established; U—unknown/not available; NL—not listed; N—no; Y—yes.; NDA—No data available.



8210 N. Austin Avenue, Morton Grove, IL 60053-0519, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: Trifluoroacetic Anhydride
 Code: 270841, 270843

..... **MATERIAL SAFETY DATA SHEET**

Hazard Classes

Sara	Acute	Chronic	Fire	Pressure	Reactivity
Title III	Y	N	N	N	Y
	Health	Flammability	Reactivity	Special Hazards	
NFPA	3	1	2	W	
HMIS	3	1	2	None	

Risk Phrases:

Caution: The properties of this material have not been fully investigated.

Corrosive

R20/21/22..... Harmful by inhalation, in contact with skin and if swallowed

R34..... Causes burns.

R36/37/38..... Irritating to eyes (severely), respiratory system, and skin.

R40..... Possible risk of irreversible effects.

R41..... Risk of serious damage to eyes.

Safety Phrases:

S23/24/25..... Do not breath vapors. Avoid contact with skin and eyes

S26/28..... In case of contact with eyes or skin, rinse immediately with plenty of water and seek medical advice.

S27..... Take off immediately all contaminated clothing.

S36/37/39..... Wear suitable protective clothing, gloves, and eye/face protection.

S44..... If you feel unwell, seek medical advice immediately (show the label where possible.)

SECTION 16 OTHER INFORMATION

Miscellaneous

The health and toxicological hazards of this compound have not been fully investigated; therefore, this substance must be handled only by, or under close supervision of those qualified in the handling and use of potentially hazardous substances.

This MSDS was revised as follows:

This is a new MSDS format. Consider all sections to contain new information.

Disclaimer

The above information is believed to be correct, but does not purport to be all-inclusive and shall be used only as a guide. Regis Technologies, Inc., does not guarantee said information is accurate or complete, *nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for a particular purpose.* Adjustment may be required to conform to the actual conditions of usage. Regis Technologies, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product, nor for the results obtained, or for incidental or consequential damage arising from the use of these data. No freedom from infringement of any patent, copyright or trademark is to be inferred.

Approved of by: MBF

This is the last page of this MSDS.

Reviewed and re-approved of with minor changes to the abbreviations in the footer and format.
 by: Jon Pilli

07/24/2008

Abbreviations: NA—not applicable; NE—not established; U—unknown/not available; NL—not listed; N—no; Y—yes.; NDA-No data available.