(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: Deriva-Sil Concentrate Code: 1-270049-500, 1-270150-200

...... MATERIAL SAFETY DATA SHEET .....

SECTION 1 ......PRODUCT IDENTIFICATION ......

1.1 Product Identifier

Name Deriva-Sil Concentrate Code 1-270049-500, 1-270150-200

1.2 Use of Substance/Mixture

Use Analytical Reagent—GC Derivatization; Silylation Reagent

1.3 Details of Manufacturer/Supplier

Company Regis Technologies, Inc.

8210 N. Austin Avenue Morton Grove, IL 60053

847-967-6000; 800-323-8144 (toll free)

Email: cservice@registech.com

www.registech.com

1.4 Emergency Telephone

INFOTRAC 800-535-5053 [U.S.A.]

SECTION 2 ...... HAZARDS IDENTIFICATION ......

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Physical Hazards

Highly Flammable Liquid Category 2 H225

Health Hazards

Acute toxicity (oral)Category 3H301Acute toxicity (inhalation)Category 4H332Acute toxicity (dermal)Category 4H312Serious Eye Damage / IrritationCategory 1CH314Skin Corrosion / IrritationCategory 1H314

**GHS Label Elements** 

Pictograms or hazard symbols



Hazard Statement

H225 - Highly flammable liquid and vapor.

H302 - Toxic if swallowed

H312 + H332 - Harmful if inhaled or in contact with skin. H314 – Causes severe skin burns and eye damage.

**Precautionary Statements** 

[Prevention]

P210 - Keep away from heat and hot surfaces.

P233 - Keep container tightly closed.

P243 - Take precautionary measures against static discharge.

P261 – Avoid breathing mists/vapours. P264 – Wash thoroughly after handling.



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: Deriva-Sil Concentrate Code: 1-270049-500, 1-270150-200

......MATERIAL SAFETY DATA SHEET .....

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313+P332+P337 – Get medical advice/attention if skin or eye irritation persists

[Storage]

P402 + P404 + P403 + P235 - Store in a dry place. Store in a closed container, in a well-ventilated place,

and keep cool.

SECTION 3 ...... COMPOSITION / INFORMATION ON INGREDIENTS ......

Name Deriva-Sil Concentrate

Synonyms BSTFA + TMCS + TMSI (3:2:3 w/w/w); N,O-Bis(trimethylsilyl)trifluoro)acetamide, Trimethylsilylimidazole,

and Trimethylchlorosilane

CAS # No data available

Hazardous components

| Component  |  | Classification  | Concentration (wt) |
|--|--|---|--------------------|
| BSTFA (N,O-Bis(trimethyl:<br>CAS No.<br>EC No.<br>Formula<br>Molecular Mass  | 25561-30-2<br>247-103-9<br>C <sub>8</sub> H <sub>18</sub> F <sub>3</sub> NOSi <sub>2</sub> | Flam. Liq. 3; Skin Irr. 2;<br>Eye Irr. 2A; H226, H315, H319   | 38%                |
| TMSI (Trimethylsilylimidaz<br>CAS No.<br>EC No.<br>Formula<br>Molecular Mass | 18156-74-6<br>242-040-3<br>C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> Si                | Flam. Liq. 2; Skin Irr. 2A;<br>Eye Irr. 2; H225, H315, H319   | 38%                |
| TMCS (Trimethylchlorosila<br>CAS No.<br>EC-No.<br>Formula<br>Molecular Mass  | 75-77-4<br>200-900-5<br>C <sub>3</sub> H <sub>9</sub> CISi                                 | Flam. Liq. 2; Acute Tox. 3;<br>Acute Tox. 4; Acute Tox. 3; Skin Corr.<br>1A; Eye Dam. 1; H225, H261, H301 +<br>H331, H312, H314 | 25%                |

For full test of the H-Statements mentioned in this Section, see Section 16.

SECTION 4 ...... FIRST AID MEASURES ......

# 4.1 Description of first aid measures

General: This material may cause corrosive injury to any body tissue upon contact. Do not attempt to neutralize as

it frequently makes matters worse.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and

keep person warm and at rest. Consult physician.

Skin contact: Immediately remove contaminated clothing and shoes, then wash skin with soap and plenty of water. If

irritation persists or burns occur, consult physician.

Eye contact: Rinse eyes with plenty of water for at least 15 minutes; lift eyelids occasionally. If irritation persists or

burns occur, consult physician.

Ingestion: Give large amounts of water or milk (two glasses at most). Avoid vomiting. Consult physician

immediately.

4.2 Most important symptoms and effects, both acute and delayed.

Abbreviations: NA—not applicable; NE—not established; U—unknown/No data available; NL—not listed; N—no; Y—yes.; NDA-No data available.

MSDS# 270150d Effective Date: 03/28/15 Version #: 4 Page 2 of 7



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: Deriva-Sil Concentrate
Code: 1-270049-500, 1-270150-200

......MATERIAL SAFETY DATA SHEET .....

Burns or severe irritation to body tissues - pain, tearing, redness, blurred vision, difficult breathing, shortness of breath, burning sensation, cough.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

# SECTION 5 ...... FIRE FIGHTING MEASURES ......

5.1 Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, dry sand, foam.

Water may be effective for cooling, but may not effect extinguishment for large fires.

Water may be used to knock down corrosive vapor cloud down wind of fire and to keep fire exposed containers cool. Do not allow extinguishing media to enter container. Contact with water may generate flammable and corrosive chemicals.

5.2 Specific hazards arising from the chemical.

Flammable and corrosive liquid and vapor.

Hydrolyzes readily on contact with water, but *not violently* so, to produce hexamethyldisiloxane (flammable) and trifluoroacetamide, and imidazole. TMCS can readily react with water to form corrosive hydrochloric acid.

Chlorosilanes may cause re-ignition to occur. A fire guard should be posted during any clean up operation.

Exposure to oxidizers or acids could start or accelerate fire conditions.

Emits toxic fumes under fire conditions: carbon oxides, silicon oxides, nitrogen oxides, hydrogen fluoride, hydrogen chloride

5.3 Advice for fire-fighters

Wear personal protective equipment for flammable and corrosive organic/acid/amine vapor conditions.

# SECTION 6 ...... ACCIDENTAL RELEASE MEASURES......

6.1 Personal precautions, protective equipment, and emergency procedures

For non-emergency personnel – Avoid material contact or inhalation of flammable or corrosive mists. Evacuate unnecessary personnel from area.

For emergency responders – Wear protective clothing corrosive and flammable conditions to prevent contact with skin and eyes. Avoid breathing mists. Wear NIOSH/MSHA approved respirator for organic/acid/amine gas, dust, and mists to prevent inhalation. See Section 8.3.

6.2 Environmental precautions

Prevent material from entering drains.

6.3 Methods of clean up

Evacuate unnecessary people from area. Isolate spilled material.

Ventilate area. Eliminate all ignition sources. Use spark proof tools.

Keep away from water. Hydrolyzes readily on contact with water, but *not violently* so, to produce hexamethyldisiloxane (flammable) and trifluoroacetamide. TMCS can readily react with water to form corrosive hydrochloric acid.

Contain and recover material when possible. Neutralize with sodium bicarbonate or other suitable neutralizing agent.

If neat or in solution, mix with sand or similar inert adsorbent material or spill pillow. This will help blanket corrosive, flammable vapors.

Sweep up, if not absorbed in pillow, seal in appropriate hazardous waste container, and hold for proper waste disposal.

Keep out of water supplies and sewers. Wash spill site after material pickup is complete.

Do not allow material to enter drains or watercourses.

# SECTION 7 ...... HANDLING AND STORAGE......

7.1 Precautions for Safe Handling

Observe precautions in Section 2.

Wear suitable protective equipment for flammables and corrosives to avoid contact with or inhalation of liquids or vapors. Handle under nitrogen. Protect from moisture. – Contact with water or moist air may readily generate hexamethyldisiloxane

Abbreviations: NA—not applicable; NE—not established; U—unknown/No data available; NL—not listed; N—no; Y—yes.; NDA-No data available.

MSDS# 270150d Effective Date: 03/28/15 Version #: 4 Page 3 of 7



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: Deriva-Sil Concentrate Code: 1-270049-500, 1-270150-200

......MATERIAL SAFETY DATA SHEET ......

(flammable) and trifluoroacetamide, and possibly corrosive hydrochloric acid.

Ground and bond containers or use inert gas purge when transferring or handling material. Use spark proof tools and explosion proof equipment. Empty containers retain product residue, (liquid/vapor), and can be dangerous.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in tinted glass bottle under nitrogen, in a cool, dry place with adequate ventilation, in area suitable for flammables and corrosives.

Protect from light and heat. May be stored refrigerated. Store away from incompatible materials (See Section 10.).

# SECTION 8 ..... EXPOSURE CONTROLS, PERSONAL PROTECTION ......

Exposure limits:

No limits are available for the mixture, BSTFA or TMSI.

TMCS or Trimethylchlorosilane (75-77-4) -

OSHA – PEL or ACGIH – TLV: No limits established. Dow Corning Guide – Ceiling Limit 5 ppm (7 mg/m³)

Note: Hydrogen chloride [5ppm-(OSHA – PEL and NIOSH-REL); 2ppm (ACGIH – TLV)] is formed

on contact with humid air or water

Environmental Do not empty into drains.

#### 8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice.

Local exhaust and mechanical ventilation required. Hood recommended. Use adequate general and/or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Fume scrubber. Safety shower and eye wash.

8.3 Personal protection

Eye/Face Tightly fitting safety glasses or safety goggles. Use equipment for eye protection tested and approved

under appropriate government standards such as NIOSH (US).

Hand Compatible chemical-resistant gloves for acidic corrosives such as hydrochloric acid.

Respiratory If exposure to mist or vapors likely: NIOSH/MSHA (US) approved respirator for organic/amine/acid vapor

and mists.

Dermal (not hand) Protective Clothing (e.g., lab coat)

Hygiene Avoid inhalation, ingestion; contact with eyes, skin, and clothing; Avoid prolonged or repeated exposure.

Remove contaminated clothing and discard contaminated footware. Wash thoroughly after handling.

# SECTION 9 ...... PHYSICAL AND CHEMICAL PROPERTIES .....

### 9.1 Information on physical and chemical data

Form Liquid

Flammability (liquid)

Flash Point <68°F; <20°C Method: tcc Flammable limits (%,v/v) UEL (upper explosive limit) 6.4%

LEL (lower explosive limit) 0.8%

Autoignition temperature No data available Decomposition temperature No data available

OSHA Flammability Class IB

Evaporation Rate (BuAc = 1.0) No data available



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.

847-967-6000 800-323-8144

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

**Emergency Contact:** INFOTRAC 800-535-5053 [U.S.A.]

Name: Deriva-Sil Concentrate 1-270049-500. 1-270150-200 Code:

......MATERIAL SAFETY DATA SHEET ......

Vapor pressure (mmHg) No data available

Vapor density (air=1): > 1 Relative density (g/cm<sup>3</sup>) 0.935

Water Solubility/Reactive Yes—Some solubility and decomposition. Water contact can readily form hydrochloric

acid and, more slowly, form, contact with water can form hexamethyldisiloxane

(flammable), trifluoroacetamide, and imidazole.

Solubility (other) No data available

Partition coefficient: N-octanol/water Kow (Pow) = No data available

No data available Viscosity, dynamic

SECTION 10 ......STABILITY AND REACTIVITY ......

Stability

Stable if stored under nitrogen and protected from moisture.

Incompatibilities

Strong acids, acid chlorides, strong bases, alcohols, alkalis, amines

Strong oxidizers--Fire/explosion hazard.

Water, moisture, or humid air--may decompose on contact: HMDS hydrolyzes to ammonia and TMCS hydrolyze to

hydrochloric acid.

Precautions

Avoid incompatibilities.

Protect from static, heat, flames, sparks, and ignition sources.

Keep out of water supplies and sewers.

Hazardous Combustion or Decomposition Products

carbon oxides, silicon oxides, nitrogen oxides, formaldehyde, ammonia, cyanide, chlorinated compounds

Hazardous Polymerization

None

SECTION 11 ...... TOXICOLOGICAL INFORMATION......

11.1 Toxicological Information

Acute toxicity

Oral No data available for mixture, BSTFA, or TMSI.

TMCS: orl rat LD50 100-300 mg/kg (IUCLID; No data available).

Inhalation LC50 No data available for mixture, BSTFA, or TMSI.

ihl rat LC50: 12.9 mg/L/1 hr (IUCLID; No data available). TMCS:

Dermal LD50 No data available for mixture, BSTFA, or TMSI.

TMCS:

skn rbt LD50:1780 uL/kg (RTECS; Altered sleep time (including change in righting reflex), Hypermobility, diarrhea, Weight change)

Other acute toxicity No data available Skin corrosion/irritation No data available Serious eye damage/irritation No data available Respiratory irritation No data available Respiratory or skin sensitization No data available Germ cell mutagenicity No data available

Carcinogenicity

IARC No data available NTP No data available **OSHA** No data available Other No data available

Mouse, intraperitoneal, TDLo 1g/kg - Tumorigenic-Neoplastic by TMSI:

RTECS criteria. Lungs, Thorax, or Respiration-Tumors.

Reproductive toxicity

(Including teratogenicity)

No data available

Page 5 of 7 MSDS# 270150d Effective Date: 03/28/15 Version #: 4

Abbreviations: NA—not applicable; NE—not established; U—unknown/No data available; NL—not listed; N—no; Y—yes.; NDA-No data available.



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: Deriva-Sil Concentrate Code: 1-270049-500, 1-270150-200

...... MATERIAL SAFETY DATA SHEET ......

Specific target organ toxicity (STOT)

STOT-single exposure
STOT-repeated exposure
Aspiration hazard
No data available
No data available

RTECS Number No data available for mixture or BSTFA. RTECS number for TMSI is NI8700000, and

TMCS is VV2710000.

11.2 Further Information

Potential health effects

Eye Can cause eye burns, lacrimation, and destruction of mucous membranes.

Skin Can cause severe irritation, dryness, and skin burns.

Inhalation Can be extremely destructive to mucous membranes and respiratory tract.

Symptoms: coughing, shortness of breath, difficulty breathing, headache.

Ingestion
Can be very destructive if in contact with mucous membranes of the GI system.

Symptoms
See above route. Pre-existing conditions that may be aggravated: not determined.

Miscellaneous No data available.

SECTION 12 ...... ECOLOGICAL INFORMATION.....

12.1 Ecotoxicity

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential No data available

12.4 Motility in soil12.5 Other adverse effectsNo data availableNo data available

Do not discharge into the environment.

SECTION 13 ...... DISPOSAL CONSIDERATIONS .......

13.1 Disposal methods

U . S. EPA Waste Codes D001, D002

Waste Characterization RCRA Hazard Class (40CFR 261): Ignitable, Corrosive

(per U. S. regulations) Generator is responsible for proper waste characterization. NOTE: U. S. Federal

and state hazardous waste regulations may differ considerably.

Waste Disposal That which cannot be recovered or recycled, should be disposed of in accordance with

all applicable international, national, regional, state, and local laws. Do NOT dump into

any sewer, on ground, or into any body of water.

SECTION 14 ...... TRANSPORT INFORMATION .....

14.1 UN number UN 2924

14.2 UN proper shipping name Flammable liquids, Corrosive, n.o.s., (chlorotrimethylsilane, trimethylsilylimidazole).

14.3 Transport Hazard Class14.5 Packing group3+8PG II

14.6 Environmental hazards Not applicable

14.6 Special precautions for user See Section 8 for exposure/personal protection guidance.

SECTION 15 ...... REGULATORY INFORMATION ......

15.1 Safety, health and Environmental regulations specific for the product in question.

NFPA: H3 F2 R1 ₩ HMIS: H3\* F2 PH1

 $Abbreviations: NA-not\ applicable;\ NE-not\ established;\ U-unknown/No\ data\ available;\ NL-not\ listed;\ N-no;\ Y-yes.;\ NDA-No\ data\ available.$ 

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: Deriva-Sil Concentrate Code: 1-270049-500, 1-270150-200

...... MATERIAL SAFETY DATA SHEET .....

#### 15.2 Chemical Inventory Lists

Reviews, Standards, and Regulations

|  | Concentrate*  | 25561-30-2 | 2 75-77-4 | 18156-7 |
|--|---------------|------------|-----------|---------|
| TSCA:  | NL            | NL         | Y         | Y       |
| *This compound is sold strictly for research and dev | elopment use. |            |           |         |
| EINECS:  | ' NL          | Y          | Y         | Y       |
| Number   | NL            | 247-102-9  | 200-900-5 | 242-040 |
| CERCLA [Section 103 (40 CFR 302.4)]:                 | NL            | NL         | NL        | NL      |
| RQ (lbs)   | NA            | NA         | NA        | NA      |
| RCRA Waste Code                                      | NA            | NL         | NA        | NL      |
| OSHA Process Safety [29 CFR 1910.119]:               |               |            |           |         |
| TQ (lbs)   |               |            |           |         |
| Clean Air Act  |               |            |           |         |
| [Section 112r (40 CFR 68)]:                          | NL            | NL         | Y         | NL      |
| TQ (lbs)   |               |            |           |         |
| Contains Ozone Depleters (Class I or Class II)       | N             | N          | N         | N       |
| [Section 103 (40 CFR 302.4)]:                        | NL            | NL         | NL        | NL      |
| State Lists:   | NL            | NL         | NL        | NL      |
| States   | NL            | NL         | FL,NJ,    | NL      |
|  |               |            | PN.MÁ     |         |
| On CA 65 Significant Risk Level                      | NL            | NL         | ŃL        | NL      |
| SARA Title III Notification [40 CFR 302.4]:          |               |            |           |         |
| Section 302/304 (EHS) Ingredient [40 CFR 355.3]      | NL            | NL         | Y         | NL      |
| TPQ (lbs   |               |            |           |         |
| RQ (lbs)   |               |            |           |         |
| Section 313 Ingredient [40 CFR 372.65]               |               |            |           |         |

SECTION 16 ......OTHER INFORMATION......OTHER INFORMATION

# 16.1 Full test of H-Statements referred to under Section 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Eye Damage Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H261 In contact with water releases flammable gases.

H302 Toxic if swallowed.

H312 + H332 Harmful if inhaled or in contact with skin.
H314 Causes skin and serious eye irritation.
H336 May cause drowsiness or dizziness.

Skin Corr. Skin Corrosion

# 16.2 Other

The above information is believed to be correct to the best of our present state knowledge, but does not purport to be all-inclusive and shall be used only as a guide. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

This is the last page of this MSDS.