



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA) or REGISIL
 Code: 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200

SAFETY DATA SHEET

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

- 1.1 Product Identifier
 - Name REGISIL (BSTFA) or REGISIL
 - Code 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200
- 1.2 Use of Substance/Mixture
 - Use Analytical Reagent—GC Derivatization; Silylation Reagent
- 1.3 Details of Manufacturer/Supplier
 - Company Regis Technologies, Inc.
 8210 N. Austin Avenue
 Morton Grove, IL 60053
 847-967-6000; 800-323-8144 (toll free)
 Email: cservice@registech.com
 www.registech.com
- 1.4 Emergency Telephone
 - INFOTRAC 800-535-5053 [U.S.A.]

SECTION 2 HAZARDS IDENTIFICATION

- 2.1 Classification of the Substance or Mixture
 - GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
 - Physical Hazards
 - Flammable Liquid Category 3 H226
 - Health Hazards
 - Skin Corrosion / Irritation Category 2 H315
 - Serious Eye Damage / Irritation Category 2A H319
 - Specific Target Organ Toxicity – Single Exposure Category 3 H335, Respiratory system
 - Environmental Hazards - Not classified

GHS Label Elements
 Pictograms or hazard symbols



Signal Word Warning

- Hazard Statement
- H226 Flammable liquid and vapor.
 - H315 Causes skin irritation.
 - H319 Causes severe eye irritation.
 - H335 May cause respiratory irritation.

- Precautionary Statements
- [Prevention] P210 – Keep away from heat and hot surfaces.
 P264 – Wash thoroughly after handling.
 P280 – Wear protective gloves/protective clothing/eye protection/face protection.
 - [Response] P302+P352 – IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 – IF IN EYES: Rinse cautiously with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA) or REGISIL
 Code: 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200

..... **SAFETY DATA SHEET**

PP313+P332+P337 – Get medical advice/attention if skin or eye irritation persists
 P403+P235 –Store in a well-ventilated place. Keep cool.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Name REGISIL (BSTFA) or REGISIL
 Synonyms Bis(trimethylsilyl)trifluoroacetamide; N,O-Bis(trimethylsilyl)trifluoroacetamide;
 Trimethylsilyl 2,2,2-trifluoro-N-(trimethylsilyl)acetimidate; Regisil RC-1,

Hazardous components

Component	Classification	Concentration
Trimethylsilyl 2,2,2-trifluoro-N-(trimethylsilyl)acetimidate CAS No. 25561-30-2 EC No. 247-103-9	Flam. Liq. 3; Skin Irr. 2; Eye Irr. 2A; STOT-SE 3; H226, H315, H319; H335	≥ 90%

For full test of the H-Statements mentioned in this Section, see Section 16.

SECTION 4 FIRST AID MEASURES

- 4.1 Description of first aid measures
 - Eye contact: Rinse eyes with plenty of water for at least 15 minutes; lift eyelids occasionally. If irritation persists, consult physician.
 - Skin contact: Immediately remove contaminated clothing and shoes, then wash skin with soap and plenty of water. If irritation persists, consult physician.
 - Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and keep person warm and at rest. Consult physician.
 - Ingestion: Give large amounts of water or milk (two glasses at most). Avoid vomiting. Consult physician immediately.
 - Physician note: Symptomatic and supportive care. There is no specific antidote.
- 4.2 Most important symptoms and effects, both acute and delayed.
 - Eyes-can cause severe irritation, dryness, lacrimation (excessive tearing). Skin-Can cause moderate irritation, dryness. Extremely irritating to mucous membranes or eye and upper respiratory tract.
- 4.3 Indication of immediate medical attention and special treatment needed.
 - No information available.

SECTION 5 FIRE-FIGHTING MEASURES

- 5.1 Suitable Extinguishing Media
 - Carbon dioxide, dry chemical powder, dry sand, foam.
 - Water may be effective for cooling, but may not effect extinguishment for large fires.
- 5.2 Specific hazards arising from the chemical.
 - Flammable liquid and vapor.
 - Hydrolyzes readily on contact with water, but **not violently** so, to produce hexamethyldisiloxane (flammable) and trifluoroacetamide.
 - Containers may build pressure or rupture when heated. Container explosion may occur under fire conditions
 - Exposure to oxidizers or acids could start or accelerate fire conditions.
 - Emits toxic fumes under fire conditions: carbon oxides, silicon oxides, nitrogen oxides, hydrogen fluoride
- 5.3 Advice for fire-fighters
 - Wear personal protective equipment for flammable organic/acid vapor conditions.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA) or REGISIL
 Code: 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200

..... **SAFETY DATA SHEET**

SECTION 6 ACCIDENTAL RELEASE MEASURES.....

- 6.1 Personal precautions, protective equipment, and emergency procedures
 For non-emergency personnel - Avoid material contact or inhalation of mists. Evacuate unnecessary personnel from area.
 For emergency responders – Wear protective clothing to prevent contact with skin and eyes. Avoid breathing mists. Wear NIOSH/MSHA approved respirator for organic/acid gas, dust, and mists to prevent inhalation. See Section 8.3.
- 6.2 Environmental precautions
 Prevent material from entering drains.
- 6.3 Methods of clean up
 Evacuate unnecessary people from area. Isolate spilled material.
 Ventilate area. Eliminate all ignition sources. Use spark proof tools.
 Keep away from water. Hydrolyzes readily on contact with water, but **not violently** so, to produce hexamethyldisiloxane (flammable) and trifluoroacetamide.
 Contain and recover material when possible. Neutralize with sodium bicarbonate or other suitable neutralizing agent.
 If neat or in solution, mix with sand or similar inert adsorbent material or spill pillow.
 Sweep up, if not absorbed in pillow, seal in appropriate hazardous waste container, and hold for proper waste disposal.
 Keep out of water supplies and sewers. Wash spill site after material pickup is complete.

SECTION 7 HANDLING AND STORAGE.....

- 7.1 Precautions for Safe Handling
Observe precautions in Section 2.
 Avoid inhalation contact with vapor, mist or contact with liquid.
 Ground and bond containers or use inert gas purge when transferring or handling material.
 Use spark proof tools and explosion proof equipment.
 Empty containers retain product residue, (liquid/vapor), and can be dangerous.
 Wear suitable protective equipment to avoid contact with skin, eyes, or inhalation of organic/acid vapors or mists.
 Vapor or liquid readily hydrolyzes on contact with water or moist air.
 Contact with water or moist air generates hexamethyldisiloxane (flammable) and trifluoroacetamide.
 Handle under nitrogen. Protect from moisture. Do not inhale vapors.
- 7.2 Conditions for safe storage, including any incompatibilities
 Store in tinted glass bottle under nitrogen, in a cool, dry place with adequate ventilation, in area suitable for flammables.
 Protect from light and heat. May be stored refrigerated.
 Store away from incompatible materials (See Section 10.).

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION.....

- 8.1 Control parameters
 Exposure limits: No limits established.
 Environmental Do not empty into drains.
- 8.2 Appropriate engineering controls
 Handle in accordance with good industrial hygiene and safety practice.
 Local exhaust and mechanical ventilation required. Hood recommended. Fume scrubber. Safety shower and eye wash.
- 8.3 Personal protection
 Eye/Face Tightly fitting safety goggles or safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US).
 Hand Use compatible chemical-resistant gloves.
 Respiratory If exposure to mist or vapors likely: NIOSH/MSHA (US) approved respirator for organic/acid vapor and mists.
 Dermal (not hand) Protective Clothing (e.g., lab coat)

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA) or REGISIL
 Code: 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200

..... **SAFETY DATA SHEET**

Hygiene Avoid inhalation, ingestion; contact with eyes, skin, and clothing; Avoid prolonged or repeated exposure. Remove contaminated clothing and discard contaminated footwear. Wash thoroughly after handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on physical and chemical data

Chemical Formula	C ₈ H ₁₈ F ₃ NOSi ₂	
Molecular Weight	257.40	
Form	liquid	
Appearance	clear, colorless to pale yellow	
Odor	strong, pungent odor	
Odor threshold	Not available	
pH	Not available	
Melting/freezing point	-10°C (14°F)	
Boiling point:	45-50°C (113-122°F) (14 mmHg)	
Flammability (liquid)		
Flash Point	26.1°C; 79°F;	Method: tcc
Flammable limits (%v/v)	UEL (upper explosive limit)	Not available
	LEL (lower explosive limit)	Not available
Autoignition temperature	Not available	
Decomposition temperature	Not available	
OSHA Flammability Class	IC	
Evaporation Rate (BuAc = 1.0)	<1	
Vapor pressure (mmHg)	Not available	
Vapor density (air=1):	>1	
Relative density (g/cm ³)	0.969	
Water Solubility/Reactive	Partially in cold; Soluble in hot. Hydrolyzes to produce hexamethyldisiloxane (flammable) and trifluoroacetamide.	
Solubility (other)	Not available	
Partition coefficient: N-octanol/water	Kow (Pow) = Not available	
Viscosity	Not available	
Refractive Index (n _D ²⁰)	1.3840 (22°C)	

SECTION 10 STABILITY AND REACTIVITY

- 10.1 Reactivity
 Readily hydrolyzes in contact with water to form hexamethyldisiloxane (flammable) and trifluoroacetamide. While BSTFA is reacts with water, it does **not** do so violently.
- 10.2 Chemical Stability
 Stable if stored under nitrogen and protected from moisture.
- 10.3 Possibility of hazardous reactions
 Flammable liquid and vapor—protect from heat and ignition sources.
- 10.4 Conditions to avoid
 Avoid incompatibilities.
 Protect from static, heat, flames, sparks, and ignition sources.
 Keep out of water supplies and sewers.
- 10.5 Incompatible materials
 Heat, light
 Strong acids, strong oxidizers, alcohols, peroxides.
 Water, moisture, or humid air—readily hydrolyzes to hexamethyldisiloxane (flammable) and trifluoroacetamide.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA) or REGISIL
 Code: 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200

SAFETY DATA SHEET

10.6 Hazardous decomposition products
 Combustion carbon oxides, silicon oxides, nitrogen oxides, hydrogen fluoride
 Decomposition hexamethyldisiloxane (flammable), trifluoroacetamide

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Toxicological Information

Acute toxicity	Oral LD50	No data available
	Inhalation LC50	No data available
	Dermal LD50	No data available
	Other acute toxicity	No data available
Skin corrosion/irritation	No data available	
Serious eye damage/irritation	No data available	
Respiratory irritation	No data available	
Respiratory or skin sensitization	No data available	
Germ cell mutagenicity	No data available	
Carcinogenicity		
IARC	No data available.	
NTP	No data available	
OSHA	No data available	
Reproductive toxicity (Including teratogenicity)	No data available	
Specific target organ toxicity (STOT)		
STOT-single exposure	No data available	
STOT-repeated exposure	No data available	
Aspiration hazard	No data available	
RTECS Number	Not available	

11.2 Further Information

Potential health effects	
Eye	Can cause serious irritation to eyes and mucous membranes. Lachrymator.
Skin	Can cause irritation, dryness, and local short-term, reversible damage to skin.
Inhalation	May cause respiratory irritation. Extremely destructive to mucous membranes of the upper respiratory tract. Symptoms: coughing, shortness of breath, difficulty breathing, headache.
Ingestion	May be harmful if in contact with mucous membranes of the GI system.
Symptoms	See above route. Pre-existing conditions that may be aggravated: not determined.
Miscellaneous	No data available.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Ecotoxicity	No data available for this product.
12.2 Persistence and degradability	No data available for this product.
12.3 Bioaccumulative potential	BCF = No data available for this product.
12.4 Motility in soil	Log Kow = No data available for this product.
12.5 Other adverse effects	No data available for this product.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Disposal methods

U . S. EPA Waste Codes	None
Waste Characterization (per U. S. regulations)	RCRA Hazard Class (40CFR 261): D001 (Ignitable) Generator is responsible for proper waste characterization. NOTE: U. S. Federal and state hazardous waste regulations may differ considerably.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA) or REGISIL
 Code: 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200

SAFETY DATA SHEET

Waste Disposal That which cannot be recovered or recycled, should be disposed of in accordance with all applicable international, national, regional, state, and local laws. Do NOT dump into any sewer, on ground, or into any body of water.

SECTION 14 TRANSPORT INFORMATION

14.1 UN number UN 1993
 14.2 UN proper shipping name Flammable Liquids, n.o.s., (bis(trimethylsilyl)trifluoroacetamide).
 14.3 Transport Hazard Class 3
 14.5 Packing group PG III
 14.6 Environmental hazards Not applicable
 14.6 Special precautions for user See Section 8 for exposure/personal protection guidance.

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and Environmental regulations specific for the product in question.

NFPA: H3 F3 R1 W (avoid water) HMIS: H3 F3 R1

15.2 Chemical Inventory Lists

REGISIL (BSTFA) or REGISIL
 CAS Number 25561-30-2
 TSCA: NL*
**This chemical is used strictly for research and development analytical uses as defined under TSCA.*
 EINECS: Y
 Number 247-103-9
 CERCLA [Section 103 (40 CFR 302.4)]: NL
 RQ (lbs) NA
 RCRA Waste Code: NL
 OSHA Process Safety [29 CFR 1910.119]: NL
 TQ (lbs) NA
 Clean Air Act
 [Section 112r (40 CFR 68)]: NL
 TQ (lbs) NA
 Contains Ozone Depleters (Class I or Class II) N
 [Section 103 (40 CFR 302.4)]: NL
 SARA Title III Notification [40 CFR 302.4]:
 Section 302/304 (EHS) Ingredient [40 CFR 355.3]: NL
 TPQ (lbs) NA
 RQ (lbs) NA
 Section 313 Ingredient [40 CFR 372.65] NL
 SARA Hazards Acute.....Y Chronic..... N Fire.....Y Pressure..... N ReactivityN
 State Lists: Not listed on
 States CA, FL, MA, MN, NJ, PA
 On CA 65 Significant Risk Level NL

SECTION 16 OTHER INFORMATION

16.1 Full test of H-Statements referred to under Section 2 and 3.

Eye Irr. Eye Irritant
 Flam. Liq. Flammable liquids
 H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes severe eye irritation
 H335 May cause respiratory irritation.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.



8210 N. Austin Avenue, Morton Grove, IL 60053-3205, U.S.A.
 847-967-6000 800-323-8144
 (Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact:
 INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA) or REGISIL

Code: 1-270001-200, 1-270001-500, 1-270109-500, 1-270110-200, 1-270111-200, 1-270112-200, 1-270113-200, 1-270114-200, 1-270115-200, 1-270116-200, 1-270117-200

..... **SAFETY DATA SHEET**

Skin Irr. Skin Irritant
 STOT-SE Specific Target Organ Toxicity – Single Exposure

The above information is believed to be correct to the best of our present state knowledge, but does not purport to be all-inclusive and shall be used only as a guide. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

Prepared by: Regis Technologies

This is the last page of this MSDS.