

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: MtBSTFA + 1% tBDMCS or *N*-Methyl-*N*-(*tert*-butyldimethylsilyl)trifluoroacetamide + 1% *tert*-Butyldimethylchlorosilane 1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200, 1-270144-200,

1-270146-200

.....SAFETY DATA SHEET......

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 Product Identifier

Name MtBSTFA + 1% tBDMCS or

N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane

Code 1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200,

1-270144-200, 1-270146-200

1.2 Use of Substance/Mixture

Use Analytical Reagent—GC Derivatization; Silylation Reagent

1.3 Details of Manufacturer/Supplier

Company Regis Technologies, Inc.

8210 N. Austin Avenue Morton Grove, IL 60053

847-967-6000; 800-323-8144 (toll free) Email: cservice@registech.com

www.registech.com

1.4 Emergency Telephone

INFOTRAC 800-535-5053 [U.S.A.]

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Physical Hazards

Flammable Liquid Category 3 H226

Health Hazards

Skin Corrosion / Irritation Category 1C H314
Serious Eye Damage / Irritation Category 1 H314

Environmental Hazards - Not classified

GHS Label Elements

Pictograms or hazard symbols





Signal Word Danger

Hazard Statement

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

[Prevention] P210 – Keep away from heat and hot surfaces.

P264 - Wash thoroughly after handling.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

[Response] P302+P352 – IF ON SKIN: Wash with plenty of water.

P305+P351+P338 – IF IN EYES: Rinse cautiously with plenty of water. Remove contact lenses, if present

and easy to do. Continue rinsing.

PP313+P332+P337 – Get medical advice/attention if skin or eye irritation persists

P403+P235 –Store in a well-ventilated place. Keep cool.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.

MSDS# 270141e Effective/Last Review/Revision Date: 12/06/2014 Version #: 5 Page 1 of 7



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: MtBSTFA + 1% tBDMCS or N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane Code:

1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200, 1-270144-200,

1-270146-200

......SAFETY DATA SHEET

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Name MtBSTFA + 1% tBDMCS or

N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane

Synonyms N-tert-Butyldimethylsilyl-N-methyltrifluoroacetamide + 1% tert-Butylchlorodimethylsilane

Hazardous components

Component	Classification	Concentration
N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide CAS No. 77377-52-7 EC No. No data available	Flam. Liq. 3; Skin Irr. 2A; Eye Irr. 2; STOT-SE 3; H226, H315, H319; H335	96-98.5 %
tert-Butyldimethylchlorosilane CAS No. 18162-48-6 EC No. 242-042-4	Flam. Sol. 1; Skin Corr. 1B; Eye Dam. 1; H222, H314	0.5-3.0 %

For full test of the H-Statements mentioned in this Section, see Section 16.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

This material may cause corrosive injury to any body tissue upon contact. Do not attempt to neutralize as General:

it frequently makes matters worse.

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and Inhalation:

keep person warm and at rest. Consult physician.

Skin contact: Immediately remove contaminated clothing and shoes, then wash skin with soap and plenty of water. If

irritation persists or burns occur, consult physician.

Rinse eyes with plenty of water for at least 15 minutes; lift eyelids occasionally. If irritation persists or Eye contact:

burns occur, consult physician.

Ingestion: Give large amounts of water or milk (two glasses at most). Avoid vomiting. Consult physician

immediately.

4.2 Most important symptoms and effects, both acute and delayed.

Burns or severe irritation to body tissues - pain, itching, tearing, redness, blurred vision, lens damage, blistering, difficult breathing, shortness of breath, burning sensation, cough, sore throat, abdominal pain, collapse, photophobia.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

SECTION 5 FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, dry sand, foam.

Water may be effective for cooling, but may not effect extinguishment for large fires.

Specific hazards arising from the chemical. 5.2

Flammable and corrosive liquid and vapor.

Hydrolyzes readily on contact with water, but not violently so, to produce t-butyldimethylsilanol (flammable) and trifluoroacetamide. tBDMCS can readily react with water to form corrosive hydrochloric acid.

Chlorosilanes may cause re-ignition to occur. A fire quard should be posted during any clean up operation.

Exposure to oxidizers or acids could start or accelerate fire conditions.

Emits toxic fumes under fire conditions: carbon oxides, silicon oxides, nitrogen oxides, hydrogen fluoride, hydrogen chloride

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: MtBSTFA + 1% tBDMCS or N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane Code:

1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200, 1-270144-200,

1-270146-200

......SAFETY DATA SHEET

Advice for fire-fighters

Wear personal protective equipment for flammable organic/acid vapor conditions.

SECTION 6 ACCIDENTAL RELEASE MEASURES......

6 1 Personal precautions, protective equipment, and emergency procedures

For non-emergency personnel – Avoid material contact or inhalation of flammable or corrosive mists. Evacuate unnecessary personnel from area.

For emergency responders - Wear protective clothing corrosive and flammable conditions to prevent contact with skin and eyes. Avoid breathing mists. Wear NIOSH/MSHA approved respirator for organic/acid gas, dust, and mists to prevent inhalation. See Section 8.3.

6.2 Environmental precautions

Prevent material from entering drains.

Methods of clean up 6.3

Evacuate unnecessary people from area. Isolate spilled material.

Ventilate area. Eliminate all ignition sources. Use spark proof tools.

Keep away from water. Hydrolyzes readily on contact with water, but not violently so, to produce t-butyldimethylsilanol (flammable) and trifluoroacetamide . tBDMCS can readily react with water to form corrosive hydrochloric acid.

Contain and recover material when possible. Neutralize with sodium bicarbonate or other suitable neutralizing agent. If neat or in solution, mix with sand or similar inert adsorbent material or spill pillow.

Sweep up, if not absorbed in pillow, seal in appropriate hazardous waste container, and hold for proper waste disposal. Keep out of water supplies and sewers. Wash spill site after material pickup is complete.

SECTION 7 HANDLING AND STORAGE......

7.1 Precautions for Safe Handling

Observe precautions in Section 2.

Wear suitable protective equipment for flammables and corrosives to avoid contact with or inhalation of liquids or vapors. Handle under nitrogen. Protect from moisture. - Contact with water or moist air may readily generate t-butyldimethylsilanol (flammable) and trifluoroacetamide, and possibly corrosive hydrochloric acid.

Ground and bond containers or use inert gas purge when transferring or handling material. Use spark proof tools and explosion proof equipment. Empty containers retain product residue, (liquid/vapor), and can be dangerous.

7.2 Conditions for safe storage, including any incompatibilities

Store in tinted glass bottle under nitrogen, in a cool, dry place with adequate ventilation, in area suitable for flammables and corrosives.

Protect from light and heat. May be stored refrigerated.

Store away from incompatible materials (See Section 10.).

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION.....

8.1 Control parameters

> Exposure limits tBDMCS or Tert-Butyldimethylchlorosilane (18162-48-6) -

OSHA - PEL or ACGIH - TLV: No limits established. Dow Corning Guide - Ceiling Limit 5 ppm (7 mg/m³)

Note: Hydrogen chloride [5ppm-(OSHA – PEL and NIOSH-REL); 2ppm (ACGIH – TLV)] is formed on

contact with humid air or water

Environmental Do not empty into drains.

Appropriate engineering controls 8.2

Handle in accordance with good industrial hygiene and safety practice.

Local exhaust and mechanical ventilation required. Hood recommended. Use adequate general and/or local exhaust

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: MtBSTFA + 1% tBDMCS or N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane Code:

1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200, 1-270144-200,

1-270146-200

......SAFETY DATA SHEET......

ventilation to keep airborne concentrations below the permissible exposure limits. Fume scrubber. Safety shower and eye wash.

Personal protection 8.3

> Eye/Face Tightly fitting safety glasses or safety goggles. Use equipment for eye protection tested and approved

> > under appropriate government standards such as NIOSH (US).

Hand Compatible chemical-resistant gloves for acidic corrosives such as hydrochloric acid.

If exposure to mist or vapors likely: NIOSH/MSHA (US) approved respirator for organic/acid vapor and Respiratory

mists.

Dermal (not hand) Protective Clothing (e.g., lab coat)

Hygiene Avoid inhalation, ingestion; contact with eyes, skin, and clothing; Avoid prolonged or repeated exposure.

Remove contaminated clothing and discard contaminated footware. Wash thoroughly after handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on physical and chemical data

Chemical Formula C₉H₁₈F₃NOSi + 1% C₆H₁₅CISi

Molecular Weight 241.33 (MtBSTFA) + 150.72 (tBDMCS)

liquid Form

clear, colorless **Appearance** Odor strong odor Odor threshold Not available Not available Melting/freezing point Not available Boiling point: 172°C; 343°F

Flammability (liquid)

Flash Point 50°C: 122°F Method: tcc Flammable limits (%,v/v) UEL (upper explosive limit) Not available LEL (lower explosive limit) Not available

Autoignition temperature Not available Decomposition temperature Not available

OSHA Flammability Class

Evaporation Rate (BuAc = 1.0) Not available Vapor pressure (mmHg) Not available Vapor density (air=1): 1.121 Relative density (g/cm³) 1.023

Water Solubility/Reactive Yes. Hydrolyzes readily, but not violently, to produce t-butyldimethylsilanol (flammable)

and trifluoroacetamide. tBDMCS reacts readily with water or moist air to produce

hydrochloric acid.

Solubility (other) Not available

Partition coefficient: N-octanol/water Kow (Pow) = Not available

Viscosity Not available

Refractive Index (n_D²⁰) 1.102 (22°C) (MtBSTFA)

SECTION 10STABILITY AND REACTIVITY

Readily hydrolyzes in contact with water for form t-butyldimethylsilanol (flammable) and trifluoroacetamide. While MtBSTFA is reacts with water, it does not do so violently. tBDMCS reacts readily with water or moist air to produce hydrochloric acid.

10.2 Chemical Stability

Stable if stored under nitrogen and protected from moisture.



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: MtBSTFA + 1% tBDMCS or N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane Code:

1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200, 1-270144-200,

1-270146-200

......SAFETY DATA SHEET......

10.3 Possibility of hazardous reactions

Flammable liquid and vapor—protect from heat and ignition sources.

10.4 Conditions to avoid

Avoid incompatibilities.

Protect from static, heat, flames, sparks, and ignition sources.

Keep out of water supplies and sewers.

10.5 Incompatible materials

Heat, light

Strong acids, strong oxidizers, alcohols, peroxides, alkalis, and compounds with liable or active hydrogen. Water, moisture, or humid air-readily hydrolyzes, but not violently, to t-butyldimethylsilanol (flammable) and trifluoroacetamide and may produce hydrochloric acid.

10.6 Hazardous decomposition products

carbon oxides, silicon oxides, nitrogen oxides, hydrogen fluoride, hydrogen chloride Combustion

Decomposition t-butyldimethylsilanol (flammable), trifluoroacetamide, hydrochloric acid

SECTION 11TOXICOLOGICAL INFORMATION......TOXICOLOGICAL INFORMATION......

11.1 Toxicological Information

Acute toxicity Oral LD50 No data available.

Inhalation LC50 No data available. Dermal LD50 No data available.

Other acute toxicity See skin corrosion and Further Information below. Mixture of MtBSTFA + 1 % tBDMCS - Corrosive range DOT PG III - Corrositex® Skin corrosion/irritation No data available. See skin corrosion and Further Information below. Serious eye damage/irritation

Respiratory irritation No data available. Respiratory or skin sensitization No data available Germ cell mutagenicity No data available.

Carcinogenicity

IAŘC No data available. NTP No data available. **OSHA** No data available. Other No data available. Reproductive toxicity No data available.

(Including teratogenicity)

Specific target organ toxicity (STOT)

STOT-single exposure No data available. STOT-repeated exposure No data available. Aspiration hazard No data available.

RTECS Number Not available for mixture or MtBSTFA. RTECS number for tBDMCS is VV2000000.

11.2 Further Information

Potential health effects

Can cause eye burns, lacrimation, and destruction of mucous membranes. Eye

Skin Can cause severe irritation, dryness, and skin burns.

Can be extremely destructive to mucous membranes and respiratory tract. Inhalation Symptoms: coughing, shortness of breath, difficulty breathing, headache.

Ingestion Can be very destructive if in contact with mucous membranes of the GI system. Symptoms See above route. Pre-existing conditions that may be aggravated: not determined.

Miscellaneous No data available.

SECTION 12 ECOLOGICAL INFORMATION......

No data available for this product or its components. 12.1 Ecotoxicity

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: MtBSTFA + 1% tBDMCS or N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane 1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200, 1-270144-200, Code:

1-270146-200

.....SAFETY DATA SHEET...... 12.2 Persistence and degradability No data available for this product. BCF = No data available for this product. Bioaccumulative potential Motility in soil Log Kow = No data available for this product. Other adverse effects No data available for this product. 13.1 Disposal methods U . S. EPA Waste Codes D001, D002, D003 RCRA Hazard Class (40CFR 261): Ignitable, Corrosive, Reactive Waste Characterization Generator is responsible for proper waste characterization. NOTE: U. S. Federal (per U. S. regulations) and state hazardous waste regulations may differ considerably. That which cannot be recovered or recycled, should be disposed of in accordance with Waste Disposal all applicable international, national, regional, state, and local laws. Do NOT dump into any sewer, on ground, or into any body of water. SECTION 14 TRANSPORT INFORMATION 14.1 UN number UN 2924 14.2 UN proper shipping name Flammable liquids, corrosive, n.o.s., (N-Methyl-N-(tertbutyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane) 14.3 Transport Hazard Class 3+8 PG III 14.5 Packing group Environmental hazards Not applicable 14.6 Special precautions for user See Section 8 for exposure/personal protection guidance. SECTION 15 REGULATORY INFORMATION 15.1 Safety, health and Environmental regulations specific for the product in question. NFPA: H3 R1 W (avoid water) F3 R1 F3 HMIS: H3 15.2 Chemical Inventory Lists Reviews, Standards, and RegulationsMtBSTFAtBDMCSMtBSTFA+1% tBDMCS TSCA:NLYNL RC-2 is sold strictly for research and development use, however, some components may be listed on TSCA Inventory. CERCLA [Section 103 (40 CFR 302.4)]:......NL....NL....NL OSHA Process Safety [29 CFR 1910.119]:NLNLNLNL TQ (lbs)......NA....NA....NA SARA Title III Notification [40 CFR 302.4]: Section 302/304 (EHS) Ingredient [40 CFR 355.3].....NL....NL....NL TPQ (lbs......NA.....NA....NA Section 313 Ingredient [40 CFR 372.65]NLNL

SARA Hazards

Chronic N......N Pressure.....N...N Reactivity......Y.....Y

Version #: 5

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: MtBSTFA + 1% tBDMCS or N-Methyl-N-(tert-butyldimethylsilyl)trifluoroacetamide + 1% tert-Butyldimethylchlorosilane 1-270145-500, 1-270140-200, 1-270140-500, 1-270141-200, 1-270142-200, 1-270142-500, 1-270143-200, 1-270144-200, Code:

1-270146-200

.....SAFETY DATA SHEET

Reviews, Standards, and Regulations

...... MtBSTFA tBDMCS MtBSTFA+1% tBDMCS States......NLNL

SECTION 16OTHER INFORMATION......OTHER INFORMATION......

16.1 Full test of H-Statements referred to under Section 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage

Eye Irritant Eye Irr.

Flammable liquids Flam. Liq. Flam, Sol. Flammable solids H222 Flammable solids.

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H319 Causes severe eye irritation May cause respiratory irritation. H335

Skin Corr. Skin corrosion Skin Irr. Skin irritation

STOT-SE Specific Target Organ Toxicity - Single Exposure

The above information is believed to be correct to the best of our present state knowledge, but does not purport to be all-inclusive and shall be used only as a guide. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

Prepared by: Regis Technologies This is the last page of this MSDS.