(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA)/1% TMCS

Code: 1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200, 1-270125-200,

1-270126-200, 1-270127-200

.....SAFETY DATA SHEET......

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY.......

1.1 Product Identifier

Name REGISIL (BSTFA)/1% TMCS

Code 1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200,

1-270125-200, 1-270126-200, 1-270127-200

1.2 Use of Substance/Mixture

Use Analytical Reagent—GC Derivatization; Silvlation Reagent

1.3 Details of Manufacturer/Supplier

Company Regis Technologies, Inc.

8210 N. Austin Avenue Morton Grove, IL 60053

847-967-6000; 800-323-8144 (toll free) Email: cservice@registech.com

www.registech.com

1.4 Emergency Telephone

INFOTRAC 800-535-5053 [U.S.A.]

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Physical Hazards

Flammable Liquid Category 3 H226

Health Hazards

Skin Corrosion / Irritation Category 1B H314
Serious Eye Damage / Irritation Category 1 H314

Environmental Hazards - Not classified

GHS Label Elements

Pictograms or hazard symbols





Signal Word Danger

Hazard Statement

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

[Prevention] P210 – Keep away from heat and hot surfaces.

P264 – Wash thoroughly after handling.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

[Response] P302+P352 – IF ON SKIN: Wash with plenty of water.

P305+P351+P338 – IF IN EYES: Rinse cautiously with plenty of water. Remove contact lenses, if present

and easy to do. Continue rinsing.

PP313+P332+P337 – Get medical advice/attention if skin or eye irritation persists

P403+P235 - Store in a well-ventilated place. Keep cool.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.

MSDS# 270120f1 Effective/Last Review/Revision Date: 07/13/2017 Version #: 6.1 Page 1 of 7



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA)/1% TMCS

Code: 1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200, 1-270125-200,

1-270126-200, 1-270127-200

......SAFETY DATA SHEET......

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Name REGISIL (BSTFA)/1% TMCS

Synonyms Bis(trimethylsilyl)trifluoroacetamide + 1% Trimethylchlorosilane;

Trimethylsilyl 2,2,2-trifluoro-N-(trimethylsilyl)acetimidate + 1% Chlorotrimethylsilane

Hazardous components

Component		Classification	Concentration
Trimethylsilyl 2,2,2-triflu CAS No. EC No.	oro-N-(trimethylsilyl)acetimidate 25561-30-2 247-103-9	Flam. Liq. 3; Skin Irr. 2A; Eye Irr. 2; STOT-SE 3; H226, H315, H319; H335	97-99.5 %
Chlorotrimethylsilane CAS No. EC No.	75-77-4 200-900-5	Flam. Liq. 2; Acute Tox. 3; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H225, H261, H301 + H331, H312, H314	0.5-3.0 %

For full test of the H-Statements mentioned in this Section, see Section 16.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

General: This material may cause corrosive injury to any body tissue upon contact. Do not attempt to neutralize as

it frequently makes matters worse.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and

keep person warm and at rest. Consult physician.

Skin contact: Immediately remove contaminated clothing and shoes, then wash skin with soap and plenty of water. If

irritation persists or burns occur, consult physician.

Eye contact: Rinse eyes with plenty of water for at least 15 minutes; lift eyelids occasionally. If irritation persists or

burns occur, consult physician.

Ingestion: Give large amounts of water or milk (two glasses at most). Avoid vomiting. Consult physician immediately.

4.2 Most important symptoms and effects, both acute and delayed.

Burns or severe irritation to body tissues - pain, itching, tearing, redness, blurred vision, lens damage, blistering, difficult breathing, shortness of breath, burning sensation, cough, sore throat, abdominal pain, collapse, photophobia.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

SECTION 5 FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, dry sand, foam.

Water may be effective for cooling, but may not effect extinguishment for large fires.

5.2 Specific hazards arising from the chemical.

Flammable and corrosive liquid and vapor.

Hydrolyzes readily on contact with water, but **not violently** so, to produce hexamethyldisiloxane (flammable) and trifluoroacetamide. TMCS can readily react with water to form corrosive hydrochloric acid.

Chlorosilanes may cause re-ignition to occur. A fire guard should be posted during any clean up operation.

Exposure to oxidizers or acids could start or accelerate fire conditions.

Emits toxic fumes under fire conditions: carbon oxides, silicon oxides, nitrogen oxides, hydrogen fluoride, hydrogen chloride

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.

MSDS# 270120f1 Effective/Last Review/Revision Date: 07/13/2017 Version #: 6.1 Page 2 of 7



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA)/1% TMCS

Code: 1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200, 1-270125-200,

1-270126-200, 1-270127-200

......SAFETY DATA SHEET......

5.3 Advice for fire-fighters

Wear personal protective equipment for flammable organic/acid vapor conditions.

6.1 Personal precautions, protective equipment, and emergency procedures

For non-emergency personnel – Avoid material contact or inhalation of flammable or corrosive mists. Evacuate unnecessary personnel from area.

For emergency responders – Wear protective clothing corrosive and flammable conditions to prevent contact with skin and eyes. Avoid breathing mists. Wear NIOSH/MSHA approved respirator for organic/acid gas, dust, and mists to prevent inhalation. See Section 8.3.

6.2 Environmental precautions

Prevent material from entering drains.

6.3 Methods of clean up

Evacuate unnecessary people from area. Isolate spilled material.

Ventilate area. Eliminate all ignition sources. Use spark proof tools.

Keep away from water. Hydrolyzes readily on contact with water, but *not violently* so, to produce hexamethyldisiloxane (flammable) and trifluoroacetamide. TMCS can readily react with water to form corrosive hydrochloric acid.

Contain and recover material when possible. Neutralize with sodium bicarbonate or other suitable neutralizing agent. If neat or in solution, mix with sand or similar inert adsorbent material or spill pillow.

Sweep up, if not absorbed in pillow, seal in appropriate hazardous waste container, and hold for proper waste disposal.

Keep out of water supplies and sewers. Wash spill site after material pickup is complete.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Observe precautions in Section 2.

Wear suitable protective equipment for flammables and corrosives to avoid contact with or inhalation of liquids or vapors.

Handle under nitrogen. Protect from moisture. – Contact with water or moist air may readily generate hexamethyldisiloxane (flammable) and trifluoroacetamide, and possibly corrosive hydrochloric acid.

Ground and bond containers or use inert gas purge when transferring or handling material. Use spark proof tools and explosion proof equipment. Empty containers retain product residue, (liquid/vapor), and can be dangerous.

7.2 Conditions for safe storage, including any incompatibilities

Store in tinted glass bottle under nitrogen, in a cool, dry place with adequate ventilation, in area suitable for flammables and corrosives.

Protect from light and heat. May be stored refrigerated.

Store away from incompatible materials (See Section 10.).

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure limits TMCS or Trimethylchlorosilane (75-77-4) –

OSHA – PEL or ACGIH – TLV: No limits established. Dow Corning Guide – Ceiling Limit 5 ppm (7 mg/m³)

Note: Hydrogen chloride [5ppm-(OSHA - PEL and NIOSH-REL); 2ppm (ACGIH - TLV)] is formed on

contact with humid air or water

Environmental Do not empty into drains.

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice.

Some abbreviations used throughout this MSDS: NA=not applicable; NE=not established; U=unknown/unavailable; NL=not listed; N=no; Y=yes.

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA)/1% TMCS

Code: 1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200, 1-270125-200,

1-270126-200, 1-270127-200

.....SAFETY DATA SHEET

Local exhaust and mechanical ventilation required. Hood recommended. Use adequate general and/or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Fume scrubber. Safety shower and eye wash.

8.3 Personal protection

Eye/Face Tightly fitting safety glasses or safety goggles. Use equipment for eye protection tested and approved

under appropriate government standards such as NIOSH (US).

Hand Compatible chemical-resistant gloves for acidic corrosives such as hydrochloric acid.

Respiratory If exposure to mist or vapors likely: NIOSH/MSHA (US) approved respirator for organic/acid vapor and

mists.

Dermal (not hand) Protective Clothing (e.g., lab coat)

Hygiene Avoid inhalation, ingestion; contact with eyes, skin, and clothing; Avoid prolonged or repeated exposure.

Remove contaminated clothing and discard contaminated footware. Wash thoroughly after handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on physical and chemical data

Chemical Formula $C_8H_{18}F_3NOSi_2 + 1\%$ (CH₃)₂SiCl Molecular Weight 257.40 (BSTFA) + 108.66 (TMCS)

Form liquid

Appearance clear, colorless
Odor strong, pungent odor

Odor threshold

pH

Not available

Not available

Melting/freezing point

Not available

Not available

147°C (296°F)

Flammability (liquid)

Flash Point 20°C; 67°F; Method: tcc
Flammable limits (%,v/v) UEL (upper explosive limit) Not available
LEL (lower explosive limit) Not available

Autoignition temperature Not available Decomposition temperature Not available

OSHA Flammability Class
Evaporation Rate (BuAc = 1.0)

Vapor pressure (mmHg)

Vapor density (air=1):

Relative density (g/cm³)

IB

<1 (20°C)

>1

Relative density (g/cm³)

0.969

Water Solubility/Reactive Yes. Hydrolyzes readily, but no violently, to produce hexamethyldisiloxane (flammable)

and trifluoroacetamide. TMCS reacts readily with water or moist air to produce

hydrochloric acid.

Solubility (other) Not available

Partition coefficient: N-octanol/water Kow (Pow) = Not available

Viscosity Not available

Refractive Index (n_D²⁰) 1.3840 (22°C) (BSTFA)

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

Readily hydrolyzes in contact with water for form hexamethyldisiloxane (flammable) and trifluoroacetamide. While BSTFA is reacts with water, it does **not** do so violently. TMCS reacts readily with water or moist air to produce hydrochloric acid.

10.2 Chemical Stability

Stable if stored under nitrogen and protected from moisture.



(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA)/1% TMCS

Code: 1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200, 1-270125-200,

1-270126-200, 1-270127-200

SAFETY DATA SHEET......SAFETY DATA SHEET.....

10.3 Possibility of hazardous reactions

Flammable liquid and vapor—protect from heat and ignition sources.

10.4 Conditions to avoid

Avoid incompatibilities.

Protect from static, heat, flames, sparks, and ignition sources.

Keep out of water supplies and sewers.

10.5 Incompatible materials

Heat, light

Strong acids, strong oxidizers, alcohols, peroxides, alkalis, and compounds with liable or active hydrogen. Water, moisture, or humid air—readily hydrolyzes, but not violently, to hexamethyldisiloxane (flammable) and trifluoroacetamide and may produce hydrochloric acid.

10.6 Hazardous decomposition products

Combustion carbon oxides, silicon oxides, nitrogen oxides, hydrogen fluoride, hydrogen chloride

Decomposition hexamethyldisiloxane (flammable), trifluoroacetamide, hydrochloric acid

SECTION 11 TOXICOLOGICAL INFORMATION......

11.1 Toxicological Information

Acute toxicity Oral LD50 Not available for mixture or BSTFA.

TMCS: orl rat LD50 5660uL/kg
Inhalation LC50 Not available for mixture or BSTFA.

TMCS: ihl rat LC50 3000ppm/1H; TMCS: ihl mus LCLo 500mg/m3/10M

Dermal LD50 Not available for mixture or BSTFA.

TMCS: skn rbt LD50 1780uL/kg Not available for mixture or BSTFA.

Other acute toxicity

Not available for mixture or BSTFA.

Skin corrosion/irritation

Mixture of BSTFA + 1 % TMCS – Corrosive range (DOT /IATA PG II) – Corrositex®

TMCS: skn rbt 500 uL mod

Serious eye damage/irritation Not available for mixture or BSTFA.

TMCS: eye rbt 5 uL mod

Respiratory irritation No data available Respiratory or skin sensitization No data available Germ cell mutagenicity No data available

Germ cell mutagenicity Carcinogenicity

IARC No data available.

NTP No data available

OSHA No data available

Other Not available for mixture or BSTFA. TMCS: Some studies have shown that TMCS may

induce certain types of cancers.

Reproductive toxicity No data available

(Including teratogenicity)
Specific target organ toxicity (STOT)

STOT-single exposure
STOT-repeated exposure
Aspiration hazard
No data available
No data available
No data available

RTECS Number Not available for mixture or BSTFA. RTECS number for TMCS is VV2710000.

11.2 Further Information

Potential health effects

Eye Can cause eye burns, lacrimation, and destruction of mucous membranes.

Skin Can cause severe irritation, dryness, and skin burns.

Inhalation Can be extremely destructive to mucous membranes and respiratory tract.

 $Some \ abbreviations \ used \ throughout \ this \ MSDS: \ NA=not \ applicable; \ NE=not \ established; \ U=unknown/unavailable; \ NL=not \ listed; \ N=no; \ Y=yes.$

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

REGISIL (BSTFA)/1% TMCS Name:

1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200, 1-270125-200, Code:

1-270126-200. 1-270127-200

......SAFETY DATA SHEET

Symptoms: coughing, shortness of breath, difficulty breathing, headache. Can be very destructive if in contact with mucous membranes of the GI system. Ingestion See above route. Pre-existing conditions that may be aggravated: not determined. Symptoms

Miscellaneous No data available.

SECTION 12 ECOLOGICAL INFORMATION......

Ecotoxicity No data available for this product. 12.1

Toxicity to Bacteria TMCS: Water danger/protection: WGH Salmonella typhimurium TA97, TA98, TA100,

TA1353, TA1537 without metabolic activation positive.

TMCS: Aquatic toxicity: Tlm96: 100-10 ppm.

No data available for this product. Persistence and degradability

BCF = No data available for this product. Bioaccumulative potential 12.3 Motility in soil Log Kow = No data available for this product. 12.4

Other adverse effects No data available for this product. 12.5

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal methods

U . S. EPA Waste Codes D001, D002

Waste Characterization RCRA Hazard Class (40CFR 261): Ignitable, Corrosive

(per U. S. regulations) Generator is responsible for proper waste characterization. NOTE: U. S. Federal

and state hazardous waste regulations may differ considerably.

That which cannot be recovered or recycled, should be disposed of in accordance with Waste Disposal

all applicable international, national, regional, state, and local laws. Do NOT dump into

any sewer, on ground, or into any body of water.

SECTION 14 TRANSPORT INFORMATION

UN 2920 14.1 UN number

Corrosive liquids, flammable, n.o.s., (trimethylchlorosilane, 14.2 UN proper shipping name

bis(trimethylsilyI)trifluoroacetamide).

Transport Hazard Class 8+3 14.5 Packing group PG II

Environmental hazards Not applicable

Special precautions for user See Section 8 for exposure/personal protection guidance.

SECTION 15 REGULATORY INFORMATION

Safety, health and Environmental regulations specific for the product in question.

NFPA: H3 F3 R1 W (avoid water) HMIS: H3 F3 R1

Chemical Inventory Lists

Reviews, Standards, and Regulations

......BSTFATMCS......REGISIL (BSTFA)/1% TMCS RC-2 is sold strictly for research and development use, however, some components may be listed on TSCA Inventory. RQ (lbs)NANANAD003.....

(Monday - Friday: 7:30 a.m. - 4:00 p.m. CST)

Emergency Contact: INFOTRAC 800-535-5053 [U.S.A.]

Name: REGISIL (BSTFA)/1% TMCS

Code: 1-270002-500, 1-270119-500, 1-270120-200, 1-270121-200, 1-270122-200, 1-270123-200, 1-270124-200, 1-270125-200,

1-270126-200, 1-270127-200

......SAFETY DATA SHEET......

Reviews, Standards, and Regulations

		BSTFA	TMCS	REGISIL (BSTFA)/1% TMCS
CAS Number		25561-30-2	75-77-4	NL
OSHA Process Safety [29 CFR 1910.119]:		NL	NL	NL
TQ (lbs)				
State Lists:				
States				
On CA 65 Significant Risk Level	NL	NL	NL	
SARA Title III Notification [40 CFR 302.4]:				
Section 302/304 (EHS) Ingredient [40 CF				
TPQ (lbs				
RQ (lbs)		NA	1,000	NA
Section 313 Ingredient [40 CFR 372.65].	NL	Y	NL	
SARA Hazards				N
	Chronic	N	N	N
	Fire	Y	Y	Y
				N
	Reactivity	N	Y	Y

SECTION 16 OTHER INFORMATION

16.1 Full test of H-Statements referred to under Section 2 and 3.

Acute Tox. Acute toxicity
Eye Dam. Serious eye damage
Eye Irr. Eye Irritant
Flam. Lig. Flammable liquids

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H261 In contact with water releases flammable gases.

H301+ H331 Toxic if swallowed or if inhaled H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H319 Causes severe eye irritation
H335 May cause respiratory irritation.

Skin Corr. Skin corrosion Skin Irr. Skin irritation

STOT-SE Specific Target Organ Toxicity – Single Exposure

The above information is believed to be correct to the best of our present state knowledge, but does not purport to be all-inclusive and shall be used only as a guide. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

Prepared by: Regis Technologies This is the last page of this MSDS.

 $Some \ abbreviations \ used \ throughout \ this \ MSDS: \ NA=not \ applicable; \ NE=not \ established; \ U=unknown/unavailable; \ NL=not \ listed; \ N=no; \ Y=yes.$